

Management Following Fracture

*This measure is to be reported after **each occurrence** of a fracture of the hip, spine or distal radius during the reporting period for all patients aged 50 years and older.*

Measure description

Percentage of patients aged 50 years and older with fracture of the hip, spine or distal radius who had a central dual-energy X-ray absorptiometry (DXA) measurement ordered or performed or pharmacologic therapy prescribed

What will you need to report for each occurrence of a fracture of the hip, spine or distal radius for this measure?

If you select this measure for reporting, you will report:

- Whether or not you ordered or performed a central dual-energy X-ray absorptiometry (DXA) measurement
- OR
- Whether or not you prescribed pharmacologic therapy¹ (other than minerals/vitamins) for osteoporosis

What if this process or outcome of care is not appropriate for your patient?

There may be times when it is not appropriate to order or perform a central DXA measurement OR prescribe pharmacologic therapy after a fracture of the hip, spine or distal radius, due to:

- Medical reasons (eg, not indicated, contraindicated, other medical reason) OR
- Patient reasons (eg, patient declined, economic, social, religious, other patient reason) OR
- System reasons (eg, resources to perform the services not available, insurance coverage/payer-related limitations, other reason attributable to health care delivery system)

In these cases, you will need to indicate which reason applies, specify the reason on the worksheet and in the medical chart. The office/billing staff will then report a code with a modifier that represents these valid reasons (also called exclusions).

Note: This measure should be reported at one of the following two instances if management following fracture has occurred or is planned within 3 months of fracture.

- 1) *During an office visit with ICD-9 diagnosis code for fracture of hip, spine or distal radius OR*
- 2) *At the time of a procedure to repair a fracture*

Prior DXA status or already on pharmacologic therapy pre-fracture meets this measure

¹Pharmacologic therapy: U.S. Food and Drug Administration approved pharmacologic options for osteoporosis prevention and/or treatment of postmenopausal osteoporosis include, in alphabetical order: bisphosphonates (alendronate, ibandronate, and risedronate), calcitonin, estrogens (estrogens and/or hormone therapy), parathyroid [PTH (1-34), teriparatide], and selective estrogen receptor modulators or SERMs (raloxifene).

Management Following Fracture

PQRI Data Collection Sheet

Patient's Name	Practice Medical Record Number (MRN)	Birth Date (mm/dd/yyyy) / /	Gender <input type="checkbox"/> Male <input type="checkbox"/> Female
National Provider Identifier (NPI)		Date of Service	

Clinical Information

Billing Information

Step 1 Is patient eligible for this measure?

	Yes	No	Code Required on Claim Form
Patient is aged 50 years and older.	<input type="checkbox"/>	<input type="checkbox"/>	Verify date of birth on claim form.
Patient has fracture of the hip, spine or distal radius AND a CPT E/M Service Code for this visit OR there is a CPT Procedure Code.	<input type="checkbox"/>	<input type="checkbox"/>	Refer to coding specifications document for list of applicable codes.
If No is checked for any of the above, STOP. Do not report a CPT category II code.			

Step 2 Does patient meet or have an acceptable reason for not meeting the measure?

Central Dual-energy X-ray Absorptiometry (DXA) Measurement OR Pharmacologic Therapy ¹	Yes	No	Code to be Reported on Line 24D of Paper Claim Form, if Yes (or Service Line 24 of Electronic Claim Form)
DXA ordered	<input type="checkbox"/>	<input type="checkbox"/>	3096F
DXA performed	<input type="checkbox"/>	<input type="checkbox"/>	3095F
Pharmacologic therapy prescribed	<input type="checkbox"/>	<input type="checkbox"/>	4005F
Not ordered, performed or prescribed for one of the following reasons:			
• Medical (eg, not indicated, contraindicated, other medical reason)	<input type="checkbox"/>	<input type="checkbox"/>	3096F-1P OR 3095F-1P OR 4005-1P
• Patient (eg, patient declined, economic, social, religious, other patient reason)	<input type="checkbox"/>	<input type="checkbox"/>	3096F-2P OR 3095F-2P OR 4005F-2P
• System (eg, resources to perform the services not available, other reason attributable to health care delivery system)	<input type="checkbox"/>	<input type="checkbox"/>	3096F-3P OR 3095F-3P OR 4005F-3P
Document reason here and in medical chart. _____ _____			If No is checked for all of the above, report 3096F-8P OR 3095F-8P OR 4005F-8P (Central dual energy X-ray absorptiometry [DXA] measurement was not ordered or performed and a pharmacologic therapy for osteoporosis was not prescribed, reason not otherwise specified.)

Note: This measure should be reported at one of the following two instances if management following fracture has occurred or is planned within 3 months of fracture.

- 1) During an office visit with ICD-9 diagnosis code for fracture of hip, spine or distal radius OR
- 2) At the time of a procedure to repair a fracture

Prior DXA status or already on pharmacologic therapy pre-fracture meets this measure

¹Pharmacologic Therapy: U.S. Food and Drug Administration approved pharmacologic options for osteoporosis prevention and/or treatment of postmenopausal osteoporosis include, in alphabetical order: bisphosphonates (alendronate, ibandronate, and risedronate), calcitonin, estrogens (estrogens and/or hormone therapy), parathyroid hormone [PTH (1-34), teriparatide], and selective estrogen receptor modules or SERMs (raloxifene).

Management Following Fracture

Coding Specifications

Codes required to document patient has fracture of the hip, spine or distal radius and a visit or procedure occurred:

An ICD-9 diagnosis code for fracture of the hip, spine or distal radius and a CPT E/M service code or a CPT procedure code are required to identify patients to be included in this measure.

Note: This measure should be reported at one of the following two instances if management following fracture has occurred or is planned within 3 months of fracture.

- 1) *During an office visit with ICD-9 diagnosis code for fracture of hip, spine or distal radius OR*
- 2) *At the time of a procedure to repair a fracture*

Prior DXA status or already on pharmacologic therapy pre-fracture meets this measure

Fracture of the hip, spine and distal radius ICD-9 diagnosis codes

- 733.12, 733.13, 733.14,
- 805.00, 805.01, 805.02, 805.03, 805.04, 805.05, 805.06, 805.07, 805.08, 805.10, 805.11, 805.12, 805.13, 805.14, 805.15, 805.16, 805.17, 805.18, 805.2, 805.4, 805.6, 805.8,
- 813.40, 813.41, 813.42, 813.44, 813.45, 813.50, 813.51, 813.52, 813.54,
- 820.00, 820.01, 820.02, 820.03, 820.09, 820.10, 820.11, 820.13, 820.20, 820.21, 820.22, 820.8, 820.9

AND

CPT E/M service codes

- 99201, 99202, 99203, 99204, 99205 (office-new patient),
- 99212, 99213, 99214, 99215 (office-establishing patient),
- 99241, 99242, 99243, 99244, 99245 (outpatient consult)

OR

CPT procedure codes

- 22305, 22310, 22315, 22318, 22319, 22325, 22326, 22327 (Fracture or Dislocation-Spine)
- 22520, 22521, 22523, 22524 (Vertebral Body, Embolization or Injection)
- 25600, 25605, 25606, 25607, 25608, 25609 (Fracture or Dislocation- Forearm or Wrist)
- 27230, 27232, 27235, 27236, 27238, 27240, 27244, 27245, 27246, 27248 (Fracture or Dislocation- Pelvis or Hip Joint)

Quality codes for this measure (one of the following for every eligible patient):

CPT II Code descriptors

(Data collection sheet should be used to determine appropriate combination of codes.)

- **CPT II 3096F:** Central dual energy X-ray absorptiometry (DXA) ordered
- **CPT II 3095F:** Central dual energy X-ray absorptiometry (DXA) results documented
- **CPT II 4005F:** Pharmacologic therapy (other than minerals/ vitamins) for osteoporosis prescribed
- **CPT II 3096F-1P OR 3095F-1P OR 4005F-1P:** Documentation of medical reason(s) for not ordering or performing a central dual energy X-ray absorptiometry (DXA) measurement or not prescribing pharmacologic therapy for osteoporosis
- **CPT II 3096F-2P OR 3095F-2P OR 4005F-2P:** Documentation of patient reason(s) for not ordering or performing a central dual energy X-ray absorptiometry (DXA) measurement or not prescribing pharmacologic therapy for osteoporosis
- **CPT II 3096F-3P OR 3095F-3P OR 4005F-3P:** Documentation of system reason(s) for not ordering or performing a central dual energy X-ray absorptiometry (DXA) measurement or not prescribing pharmacologic therapy for osteoporosis
- **CPT II 3096F-8P OR 3095F-8P OR 4005F-8P:** Central dual energy X-ray absorptiometry (DXA) measurement was not ordered or performed and a pharmacologic therapy for osteoporosis was not prescribed, reason not otherwise specified

continued on next page

Management Following Fracture

Physician Performance Measures (Measures) and related data specifications, developed by the American Medical Association (AMA) in collaboration with the Physician Consortium for Performance Improvement (the Consortium) and the National Committee for Quality Assurance (NCQA) pursuant to government sponsorship under subcontract 6205-05-054 with Mathematica Policy Research, Inc. under contract 500-00-0033 with Centers for Medicare & Medicaid Services.

These performance Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications.

The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and the AMA, (on behalf of the Consortium) or NCQA. Neither the AMA, NCQA, Consortium nor its members shall be responsible for any use of the Measures.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

© 2004-6 American Medical Association and National Committee for Quality Assurance. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, NCQA, the Consortium and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measures specifications is copyright 2006 American Medical Association

G codes and associated descriptions included in these Measure specifications are in the public domain.

PQRI 2007 Measure 40, Effective Date 07/01/2007

© 2004-6 American Medical Association and National Committee for Quality Assurance. All rights reserved.
CPT® copyright 2006 American Medical Association