

Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

*This measure is to be reported for all female patients aged 65 years and older — a minimum of **once** per reporting period.*

Measure description

Percentage of female patients aged 65 years and older who were assessed for the presence or absence of urinary incontinence¹ within 12 months

What will you need to report for each female patient aged 65 years and older for this measure?

If you select this measure for reporting, you will report:

- Whether or not you assessed for the presence or absence of urinary incontinence

What if this process or outcome of care is not appropriate for your patient?

There may be times when it is not appropriate to assess for presence or absence of urinary incontinence, due to:

- Medical reasons (eg, not indicated, contraindicated, other medical reason)

In this case, you will need to indicate that the medical reason applies, specify the reason on the worksheet and in the medical chart. The office/billing staff will then report a code with a modifier that represents these valid reasons (also called exclusions).

¹Urinary incontinence is defined as any involuntary leakage of urine.

Urinary Incontinence

Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

PQRI Data Collection Sheet

Patient's Name	Practice Medical Record Number (MRN)	Birth Date (mm/dd/yyyy) / /	<input type="checkbox"/> Male <input type="checkbox"/> Female
National Provider Identifier (NPI)		Date of Service	

Clinical Information

Billing Information

Step 1 Is patient eligible for this measure?			
	Yes	No	Code Required on Claim Form
Patient is aged 65 years and older.	<input type="checkbox"/>	<input type="checkbox"/>	Verify date of birth on claim form.
Patient is female.	<input type="checkbox"/>	<input type="checkbox"/>	Refer to gender on claim form.
There is a CPT E/M Service Code for this visit.	<input type="checkbox"/>	<input type="checkbox"/>	Refer to coding specifications document for list of applicable codes.
If No is checked for any of the above, STOP. Do not report a CPT category II code.			
Step 2 Does patient meet or have an acceptable reason for not meeting the measure?			
Presence or Absence of Urinary Incontinence	Yes	No	Code to be Reported on Line 24D of Paper Claim Form, if Yes (or Service Line 24 of Electronic Claim Form)
Assessed	<input type="checkbox"/>	<input type="checkbox"/>	1090F
Not assessed for the following reason: • Medical (eg, not indicated, contraindicated, other medical reason)	<input type="checkbox"/>	<input type="checkbox"/>	1090F-1P
Document reason here and in medical chart. _____ _____			If No is checked for all of the above, report 1090F-8P (Presence or absence of urinary incontinence was not assessed, reason not otherwise specified.)

Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

Coding Specifications

Code required to document a visit occurred:

A CPT E/M service code is required to identify patients to be included in this measure.

CPT E/M service codes

- 99201, 99202, 99203, 99204, 99205 (office — new patient),
- 99212, 99213, 99214, 99215 (office — established patient),
- 99387 (preventive medicine services — new patient),
- 99397 (preventive medicine services — established patient),
- 99401, 99402, 99403, 99404 (preventive medicine services — individual counseling)

Quality codes for this measure (one of the following for every eligible patient):

CPT II Code descriptors

(Data Collection sheet should be used to determine appropriate combination of codes.)

- **CPT II 1090F:** Presence or absence of urinary incontinence assessed
- **CPT II 1090F-1P:** Documentation of medical reason(s) for not assessing for the presence or absence of urinary incontinence
- **CPT II 1090F-8P:** Presence or absence of urinary incontinence not assessed, reason not otherwise specified

Physician Performance Measures (Measures) and related data specifications, developed by the American Medical Association (AMA) in collaboration with the Physician Consortium for Performance Improvement (the Consortium) and the National Committee for Quality Assurance (NCQA) pursuant to government sponsorship under subcontract 6205-05-054 with Mathematica Policy Research, Inc. under contract 500-00-0033 with Centers for Medicare & Medicaid Services.

These performance Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications.

The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and the AMA, (on behalf of the Consortium) or NCQA. Neither the AMA, NCQA, Consortium nor its members shall be responsible for any use of the Measures.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

© 2004–6 American Medical Association and National Committee for Quality Assurance. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, NCQA, the Consortium and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measures specifications is copyright 2006 American Medical Association

G codes and associated descriptions included in these Measure specifications are in the public domain.

PQRI 2007 Measure 48, Effective Date 07/01/2007

© 2004–6 American Medical Association and National Committee for Quality Assurance. All Rights Reserved.

CPT® copyright 2006 American Medical Association