Appropriate Testing for Children with Pharyngitis

This measure is to be reported once for **each occurrence** of pharyngitis during the reporting period for all patients aged 2–18 years.

Measure description

Percentage of children aged 2–18 years with a diagnosis of pharyngitis, who were prescribed an antibiotic and who received a group A streptococcus (strep) test for the episode

What will you need to report for each occurrence of pharyngitis for this measure?

If you select this measure for reporting, you will report:

Whether or not an antibiotic was prescribed or dispensed

If the patient has been prescribed or dispensed an antibiotic, you will then need to report:

■ Whether or not a Group A streptococcus test was performed

What if this process or outcome of care is not appropriate for your patient?

There may be times when it is not appropriate to perform a group-A streptococcus test, due to:

 Medical reasons (eg, not indicated, contraindicated, other medical reason)

In these cases, you will need to indicate that the medical reason applies, specify the reason on the worksheet and in the medical chart. The office/billing staff will then report a code with a modifier that represents these valid reasons (also called exclusions).

Appropriate Testing for Children with Pharyngitis

PQRI Data Collection Sheet

			/ /	🗆 Male 🛛 Female
Patient's Name Practice Medical Record Number (MRN)			Birth Date (mm/dd/yyyy)	Gender
National Provider Identifier (NPI)			Date of Service	
Clinical Information			Billing Information	
Step 1 Is patient eligible for this measure?				
	Yes	No	Code Required on Claim Form	
Patient is aged 2–18 years of age.			Verify date of birth on claim fo	orm.
Patient has a diagnosis of pharyngitis.			Refer to coding specifications document for list of applicable codes.	
There is a CPT E/M Service Code for this visit.				
If No is checked for any of the above, STOP. Do not report a CPT category II code.				
Step 2 Does patient also have the other requirements for this measure?				
	Yes	No	Code to be Reported on Line 24 (or Service Line 24 of Electron	
Was patient prescribed or dispensed an antibiotic for this episode of pharyngitis?			If No , report only 4124F and S	TOP.
			If Yes, report 4120F and proce	eed to Step 3.
Step 3 Does patient meet or have an accepta for not meeting the measure?	able reas	son		
Group A Strep Test	Yes	No	Code to be Reported on Line 24 if <i>Yes</i> (or Service Line 24 of Ele	
Performed			3210F	
Not performed for the following reason:				
 Medical (eg, not indicated, contraindicated, other medical reason) 			3210F-1P	
Document reason here and in medical chart.			If No is checked for all of the above, report 3210F–8P (Group A strep not performed, reason not otherwise specified.)	

Pharyngitis

Appropriate Testing for Children with Pharyngitis

Coding Specifications

Codes required to document patient has pharyngitis and an outpatient visit occurred:

An ICD-9 diagnosis code for pharyngitis and a CPT E/M service code are required to identify patients to be included in this measure.

Pharyngitis ICD-9 diagnosis codes

- 034.0 (streptococcal sore throat),
- 462 (acute pharyngitis),
- 463 (acute tonsillitis)

AND

CPT E/M service codes

- 99201, 99202, 99203, 99204, 99205 (office new patient),
- 99211, 99212, 99213, 99214, 99215 (office established patient),
- 99217 (hospital observation discharge services),
- 99218, 99219, 99220 (initial observation care),
- 99241, 99242, 99243, 99244, 99245 (outpatient consult),
- 99382, 99383, 99384, 99385 (preventive medicine services new patient),
- 99392, 99393, 99394, 99395 (preventive medicine services established patient),
- 99401, 99402, 99403, 99404 (preventive medicine services individual counseling),
- 99411, 99412 (preventive medicine services group counseling),
- 99420, 99429 (preventive medicine services other),
- 99499 (other E/M service)

Quality codes for this measure (at least two of the following for every eligible patient):

CPT II Code descriptors

(Data Collection sheet should be used to determine appropriate combination of codes.)

- CPT II 4120F: Antibiotic prescribed or dispensed
- *CPT II 4124F*: Antibiotic neither prescribed nor dispensed
- *CPT II 3210F*: Group A Strep Test Performed
- *CPT II 3210F-1P:* Documentation of medical reason(s) for not Performing Group A Strep Test
- *CPT II 3210F-8P*: Group A Strep Test not Performed, reason not otherwise specified

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

© 2004 National Committee for Quality Assurance, all rights reserved.

Performance measures developed by NCQA for CMS may look different from the measures solely created and owned by NCQA.

PQRI 2007 Measure 66, Effective Date 07/01/2007 © 2004 National Committee for Quality Assurance, all rights reserved. CPT® copyright 2006 American Medical Association

These performance measure were developed and are owned by the National Committee for Quality Assurance ("NCQA"). These performance measures are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures. NCQA holds a copyright in this measure and can rescind or alter this measure at any time. Users of the measure shall not have the right to alter, enhance, or otherwise modify the measure and shall not disassemble, recompile, or reverse engineer the source code or object code relating to the measure. Anyone desiring to use or reproduce the measure without modification for a noncommercial purpose may do so without obtaining any approval from NCQA. All commercial uses must be approved by NCQA and are subject to a license at the discretion of NCQA.