Discharged on Antiplatelet Therapy

This measure is to be reported **each time** a patient aged 18 years and older with ischemic stroke or transient ischemic attack (TIA) is discharged from the hospital during the reporting period.

Measure description

Percentage of patients aged 18 years and older with a diagnosis of ischemic stroke or transient ischemic attack (TIA) who were prescribed antiplatelet therapy at discharge

What will you need to report each time a patient with stroke or TIA is discharged from the hospital for this measure?

If you select this measure for reporting, you will report:

 Whether or not you prescribed antiplatelet therapy¹ at discharge

What if this process or outcome of care is not appropriate for your patient?

There may be times when it is not appropriate to prescribe antiplatelet therapy at discharge, due to:

- Medical reasons (eg, patient on anticoagulation therapy, other medical reason) OR
- Patient reasons (eg, patient declined, economic, social, religious, other patient reason)

In these cases, you will need to indicate which reason applies, and specify the reason on the worksheet and in the medical chart. The office/billing staff will then report a code with a modifier that represents these valid reasons (also called exclusions).

¹Antiplatelet therapy: aspirin, combination of aspirin and extended release dipyridamole, clopidogrel, ticlopidine.

Discharged on Antiplatelet Therapy

PQRI Data Collection Sheet

| | | | / / | 🗆 Male 🛛 Female |
|---|----------|-------------------------|--|-----------------|
| atient's Name Practice Medical Record Number (MRN) | | Birth Date (mm/dd/yyyy) | Gender | |
| National Provider Identifier (NPI) | | | Date of Service | |
| Clinical Information | | | Billing Information | |
| Step 1 Is patient eligible for this measure? | | | | |
| | Yes | No | Code Required on Claim Form | |
| Patient is aged 18 years and older. | | | Verify date of birth on claim form. | |
| Patient has a diagnosis of ischemic stroke or transient ischemic attack. | | | Refer to coding specifications document for list of applicable codes. | |
| There is a CPT E/M Service Code for this visit. | | | | |
| | | | | |
| If No is checked for any of the above, STOP. Do not repo CPT category II code. | rt a | | | |
| | | son | | |
| CPT category II code. Step 2 Does patient meet or have an accepta | | SON No | Code to be Reported on Line 24 if <i>Yes</i> (or Service Line 24 of Ele | |
| CPT category II code. Step 2 Does patient meet or have an accepta for not meeting the measure? | ble reas | | | |
| CPT category II code. Step 2 Does patient meet or have an accepta for not meeting the measure? Antiplatelet Therapy ¹ | ble reas | No | if Yes (or Service Line 24 of Ele | |
| CPT category II code. Step 2 Does patient meet or have an accepta for not meeting the measure? Antiplatelet Therapy ¹ Prescribed at discharge Not prescribed for one of the following reasons: Medical (eg, patient on anticoagulation therapy, | Yes | No | if Yes (or Service Line 24 of Ele 4073F | |

¹Antiplatelet therapy: aspirin, combination of aspirin and extended release dipyridamole, clopidogrel, ticlopidine.

Discharged on Antiplatelet Therapy

Coding Specifications

Codes required to document patient has ischemic stroke or transient ischemic attack (TIA) and a visit occurred:

An ICD-9 diagnosis code for ischemic stroke or TIA and a CPT E/M service code are required to identify patients to be included in this measure.

Ischemic stroke and TIA ICD-9 diagnosis codes

- 433.01, 433.11, 433.21, 433.31, 433.81, 433.91 (occlusion and stenosis of cerebral arteries),
- 434.01, 434.11, 434.91 (occlusion of cerebral arteries),
- 435.0, 435.1, 435.2, 435.3, 435.8, 435.9 (transient cerebral ischemia)

AND

CPT E/M service codes

- 99238, 99239 (hospital discharge),
- 99251, 99252, 99253, 99254, 99255 (inpatient consult)

Quality codes for this measure (one of the following for every eligible patient):

CPT II Code descriptors

(Data Collection sheet should be used to determine appropriate combination of codes.)

- *CPT II 4073F*: Oral antiplatelet therapy prescribed at discharge
- CPT II 4073F-1P: Documentation of medical reason(s) for not prescribing antiplatelet therapy at discharge, including identification from medical record that patient on anticoagulation therapy
- *CPT II 4073F-2P*: Documentation of patient reason(s) for not prescribing antiplatelet therapy at discharge
- *CPT II 4073F–8P*: Oral antiplatelet therapy was not prescribed at discharge, reason not otherwise specified

Physician Performance Measures (Measures) and related data specifications, developed by the American Medical Association (AMA) in collaboration with the Physician Consortium for Performance Improvement (the Consortium) and the National Committee for Quality Assurance (NCQA) pursuant to government sponsorship under subcontract 6205-05-054 with Mathematica Policy Research, Inc. under contract 500-00-0033 with Centers for Medicare & Medicaid Services.

These performance Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications.

The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and the AMA, (on behalf of the Consortium) or NCQA. Neither the AMA, NCQA, Consortium nor its members shall be responsible for any use of the Measures.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

© 2004–6 American Medical Association and National Committee for Quality Assurance. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, NCQA, the Consortium and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT[®]) or other coding contained in the specifications.

CPT® contained in the Measures specifications is copyright 2007 American Medical Association

G codes and associated descriptions included in these Measure specifications are in the public domain.

PQRI 2008 Measure 32, Effective Date 01/17/2008

© 2004–6 American Medical Association and National Committee for Quality Assurance. All Rights Reserved. CPT® copyright 2007 American Medical Association