Preventive Care and Screening

Unhealthy Alcohol Use — Screening

PQRI Data Collection Sheet				
			/ /	☐ Male ☐ Femal
Patient's Name Practice Medical Record N	Practice Medical Record Number (MRN)		Birth Date (mm/dd/yyyy)	Gender
National Provider Identifier (NPI)			Date of Service	
Clinical Information			Billing Information	
Step 1 Is patient eligible for this measure?				
	Yes	No	Code Required on Claim Form	
Patient is aged 18 years and older on date of encounter	er. 🗆		Verify date of birth on claim form.	
There is a CPT Service Code or G-Code for this visit.			Refer to coding specifications document for list	
If No is checked for any of the above, STOP. Do not report a CPT category II code.			of applicable codes. Codes determining a patient's eligibility must be reported on the same claim as the quality code(s) identified below.	
Step 2 Does patient meet or have an acceptor not meeting the measure?	table reas	son		
Unhealthy Alcohol Use Screening¹ (using a systematic screening method) Yes No		No	Code to be Reported on Line 24D of Paper Claim Form, if Yes (or Service Line 24 of Electronic Claim Form)	
Performed			3016F	
Not performed for the following reason:				
Medical (eg, limited life expectancy)			3016F-1P	
Document reason here and in medical chart.			If No is checked for all of the above, report 3016F–8P (Unhealthy alcohol use screening not performed, reason not otherwise specified.)	

 1 Unhealthy alcohol use covers a spectrum that is associated with varying degrees of risk to health. Categories representing unhealthy alcohol use include risky use, problem drinking, harmful use, and alcohol abuse, and the less common but more severe alcoholism and alcohol dependence. Risky use is defined as > 7 standard drinks per week or > 3 drinks per occasion for women and persons > 65 years of age; > 14 standard drinks per week or > 4 drinks per occasion for men ≤ 65 years of age.