Timing of Prophylactic Antibiotic — Administering Physician

PQRI Data Collection Sheet

			/ / 🗆 Male 🗆 Female
Patient's Name Practice Medical Record Number (MRN)		Birth Date (mm/dd/yyyy) Gender	
National Provider Identifier (NPI)			Date of Service
Clinical Information			Billing Information
Step 1 Is patient eligible for this measure?			
	Yes	No	Code Required on Claim Form
Patient is aged 18 years and older.			Verify date of birth on claim form.
There is a CPT code for anesthesia services for which prophylactic parenteral antibiotics are con indicated for associated surgical procedures.	nmonly		Refer to coding specifications document for list of applicable codes. Codes determining a patient's eligibility must be reported on the same claim as
If No is checked for any of the above, STOP. Do not report a CPT category II code.		the quality code(s) identified below.	
Step 2 Does patient also have the other for this measure?	er requirements	;	
	Yes	No	Code to be Reported on Line 24D of Paper Claim Form, if <i>Yes</i> (or Service Line 24 of Electronic Claim Form)
Was there an order for a prophylactic parenteral antibiotic to be given within one hour (if fluoroqu or vancomycin, two hours) prior to the surgical ir (or start of a procedure when no incision is requ The presence of an order includes instances whe the clinician providing anesthesia services orders administers the prophylactic parenteral antibiotic the appropriate timeframe.	ncision ired)? ere s AND		If No (ie, prophylactic parenteral antibiotic not ordered), report only 4047F–8P and STOP. If Yes , proceed to Step 3.
Step 3 Does patient meet or have an a for not meeting the measure?	cceptable reas	on	
Prophylactic Parenteral Antibiotic Within Timefra	me ¹ Yes	No	Code to be Reported on Line 24D of Paper Claim Form, if <i>Yes</i> (or Service Line 24 of Electronic Claim Form)
Given ²			4048F
Not given for the following reasons:Medical (eg, not indicated, contraindicated, other medical reason)			4048F-1P
Document reason here and in medical chart.			If No is checked for all of the above, report 4048F–8P (Prophylactic antibiotic was not given within one hour (if fluoroquinolone or vancomycin, two hours) prior to the surgical incision (or start of procedure when no incision is required), reason not otherwise specified).

¹This measure seeks to identify the timely administration of prophylactic antibiotic. This administration should begin within one hour (if fluoroquinolone or vancomycin, two hours) prior to surgical incision.

²Includes instances where the clinician providing anesthesia services orders AND administers the prophylactic antibiotic within the appropriate timeframe.