## Unhealthy Alcohol Use — Screening

## **PQRI Data Collection Sheet**

			/ /	🗆 Male 🛛 Female
Patient's Name Practice Medical Record Number (MRN)		Birth Date (mm/dd/yyyy)	Gender	
National Provider Identifier (NPI)			Date of Service	
Clinical Information			Billing Information	
Step 1 Is patient eligible for this measure?				
	Yes	No	Code Required on Claim Form	
Patient is aged 18 years and older on date of encounter.			Verify date of birth on claim form.	
There is a CPT Code or G-Code for this visit.			Refer to coding specifications document for list	
If <b>No</b> is checked for any of the above, STOP. Do not report a CPT category II code.			of applicable codes. Codes determining a patient's eligibility must be reported on the same claim as the quality code(s) identified below.	
Step 2 Does patient meet or have an accepta for not meeting the measure?	ble reas	son		
Unhealthy Alcohol Use Screening <sup>1</sup> (using a systematic screening method)	Yes	No	Code to be Reported on Line 2 if Yes (or Service Line 24 of E	•
Performed			3016F	
Not performed for the following reason:				
Medical (eg, limited life expectancy)			3016F-1P	
Document reason here and in medical chart.			If <b>No</b> is checked for <b>all</b> of the above, report 3016F-8P	

(Unhealthy alcohol use screening not performed,

reason not otherwise specified.)

<sup>1</sup>Unhealthy alcohol use covers a spectrum that is associated with varying degrees of risk to health. Categories representing unhealthy alcohol use include risky use, problem drinking, harmful use, and alcohol abuse, and the less common but more severe alcoholism and alcohol dependence. Risky use is defined as > 7 standard drinks per week or > 3 drinks per occasion for women and persons > 65 years of age; > 14 standard drinks per week or > 4 drinks per occasion for men  $\leq$  65 years of age.