

## 2015 Physician Quality Reporting System (PQRS) Getting Started with Measures Groups

11/10/2014

CPT only copyright 2014 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

## Introduction:

This document contains general implementation guidance for reporting 2015 Physician Quality Reporting System (PQRS) measures groups. Measures groups include reporting on a group of clinically-related measures identified by CMS for use in PQRS through a registry-based submission process. Twenty-two measures groups have been established for 2015 PQRS: Diabetes, Chronic Kidney Disease (CKD), Preventive Care, Coronary Artery Bypass Graft (CABG), Rheumatoid Arthritis (RA), Hepatitis C, Heart Failure (HF), Coronary Artery Disease (CAD), HIV/AIDS, Asthma, Chronic Obstructive Pulmonary Disease (COPD), Inflammatory Bowel Disease (IBD), Sleep Apnea, Dementia, Parkinson's Disease, Cataracts, Oncology, Total Knee Replacement (TKR), General Surgery, Optimizing Patient Exposure to Ionizing Radiation (OPEIR), Sinusitis, and Acute Otitis Externa (AOE). 2015 PQRS measures groups include a minimum of 6 individual measures.

There is one reporting period available for eligible professionals to report 2015 PQRS measures groups: 12-month reporting period from January 1 through December 31. Measures groups containing a measure with a 0% performance rate will not be counted as satisfactorily reporting the measures group unless the measure is an inverse measure, in which case a 0% performance rate would be considered satisfactorily reporting. An inverse measure with a 100% performance rate will not be counted as satisfactorily reporting the measures group. This document provides strategies and information to facilitate satisfactory reporting by each eligible professional who wishes to pursue this alternative.

The 2015 Physician Quality Reporting System (PQRS) Measures Groups Specifications Manual, which can be found at <a href="http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/PQRS/MeasuresCodes.html">http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/PQRS/MeasuresCodes.html</a>, contains detailed descriptions for each quality measure within each measures group. Denominator coding has been modified from the original individual measure as specified by the measure developer to allow for implementation as a measures group. To get started, review the 2015 Physician Quality Reporting System (PQRS) Measures Groups Specifications manual to determine if a particular measures group is applicable to the Medicare services the eligible professional provides.

**Note:** Additional information on how to avoid future PQRS payment adjustments can be found through supporting documentation on the CMS website at <a href="http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/PQRS">http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/PQRS</a>.

Participants of programs that allow for PQRS credit, such as the Medicare Shared Savings Program (MSSP) or the Comprehensive Primary Care Initiative (CPCI) should refer to their respective program's guidance on PQRS.

## **Measures Groups Participation Strategy:**

- 1. Plan and implement processes within the practice to ensure satisfactory reporting of measures groups.
- 2. Become familiar with the registry-based submission method for satisfactory reporting of measures groups: **20 Patient Sample Method via registry** 12-month
  - A participating eligible professional must report on all applicable measures within the selected measures group for a minimum sample of 20 unique patients (or procedures as applicable), a majority (11) of which must be Medicare Part B FFS patients, who meet patient sample criteria for the measures group. If the eligible professional does not have at least 20 unique patients (a majority of which must be Medicare Part B FFS patients) who meet patient sample criteria for the measures group, the eligible professional will need to choose another measures group or choose another reporting option. Please refer to the 2015 Physician Quality Reporting System (PQRS) Participation Decision Tree located in the 2015 PQRS Implementation Guide.
  - All applicable measures within the group must be reported at least once for each patient (procedure) within the sample population seen by the eligible professional during the reporting period (January 1 through December 31, 2015) for each of the 20 unique patients in which a majority are Medicare Part B FFS patients.
  - Measures groups containing a measure with a 0% performance rate will not be counted as satisfactorily reporting the measures group unless the measure is an inverse measure in which case a 0% would be considered satisfactorily reporting. An inverse measure with a 100% performance rate will not be counted as satisfactorily reporting the measures group.

**Note:** International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) diagnosis codes have been incorporated into the *2015 PQRS Measures Group Specifications* manual. These codes are to be to determine denominator eligibility beginning 10/01/2015. Until the 10/01/2015 date, the ICD-10-CM codes are considered REFERENCE ONLY and ICD-9-CM codes should be used to determine denominator eligible patients for the 2015 program year. ICD-9 CM Codes should not be used after 09/30/15 to determine denominator eligibility.

|  | Patient Sample Criteria Table (ICD-9-CM)  |   |  |
|--|---|---|--|
| Measures<br>Group  | CPT Patient Encounter Codes   | ICD-9-CM Diagnosis Codes<br>for use 1/1/2015 – 9/30/2015  |  |
| Diabetes 18 through 75 years                             | 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99217, 99218, 99219, 99220, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99281, 99282, 99283, 99284, 99285, 99291, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316, 99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439 | 250.00, 250.01, 250.02, 250.03, 250.10, 250.11, 250.12, 250.13, 250.20, 250.21, 250.22, 250.23, 250.30, 250.31, 250.32, 250.33, 250.40, 250.41, 250.42, 250.43, 250.50, 250.51, 250.52, 250.53, 250.60, 250.61, 250.62, 250.63, 250.70, 250.71, 250.72, 250.73, 250.80, 250.81, 250.82, 250.83, 250.90, 250.91, 250.92, 250.93, 357.2, 362.01, 362.02, 362.03, 362.04, 362.05, 362.06, 362.07, 366.41, 648.00, 648.01, 648.02, 648.03, 648.04 |  |
| Chronic Kidney<br>Disease (CKD)<br>18 years and<br>older | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350  | 585.3, 585.4, 585.5   |  |

|   | Patient Sample Criteria Table (ICD-9-CM)   |  |  |
|---|--|--|--|
| Measures<br>Group   | CPT Patient Encounter Codes  | ICD-9-CM Diagnosis Codes<br>for use 1/1/2015 – 9/30/2015   |  |
| Preventive Care<br>50 years and<br>older                  | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215  | N/A  |  |
| Coronary Artery Bypass Graft (CABG) 18 years and older    | 33510, 33511, 33512, 33513, 33514, 33516, 33517, 33518, 33519, 33521, 33522, 33523, 33533, 33534, 33535, 33536   | N/A  |  |
| Rheumatoid<br>Arthritis (RA)<br>18 years and<br>older     | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402  | 714.0, 714.1, 714.2, 714.81  |  |
| Hepatitis C<br>18 years and<br>older                      | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99406, 99407   | 070.54   |  |
| Heart Failure<br>(HF)<br>18 years and<br>older            | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350 | 402.01, 402.11, 402.91, 404.01, 404.03, 404.11, 404.13, 404.91, 404.93, 428.0, 428.1, 428.20, 428.21, 428.22, 428.23, 428.30, 428.31, 428.32, 428.33, 428.40, 428.41, 428.42, 428.43, 428.9  |  |
| Coronary Artery<br>Disease (CAD)<br>18 years and<br>older | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350 | 410.00, 410.01, 410.02, 410.10, 410.11, 410.12, 410.20, 410.21, 410.22, 410.30, 410.31, 410.32, 410.40, 410.41, 410.42, 410.50, 410.51, 410.52, 410.60, 410.61, 410.62, 410.70, 410.71, 410.72, 410.80, 410.81, 410.82, 410.90, 410.91, 410.92, 411.0, 411.1, 411.81, 411.89, 412, 413.0, 413.1, 413.9, 414.00, 414.01, 414.02, 414.03, 414.04, 414.05, 414.06, 414.07, 414.2, 414.3, 414.8, 414.9, V45.81, V45.82 |  |
| HIV/AIDS<br>13 years and<br>older                         | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, G0402   | 042, V08   |  |
| Asthma 5 years and older                                  | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341   | 493.00, 493.01, 493.02, 493.10, 493.11, 493.12, 493.20, 493.21, 493.22, 493.81, 493.82, 493.90, 493.91, 493.92   |  |

| Patient Sample Criteria Table (ICD-9-CM)                        |   |   |
|---|---|---|
| Measures<br>Group   | CPT Patient Encounter Codes   | ICD-9-CM Diagnosis Codes<br>for use 1/1/2015 – 9/30/2015  |
| Chronic Obstructive Pulmonary Disease (COPD) 18 years and older | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215   | 491.0, 491.1, 491.20, 491.21, 491.22, 491.8, 491.9, 492.0, 492.8, 493.20, 493.21, 493.22, 496   |
| Inflammatory Bowel Disease (IBD)  18 years and older            | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99406, 99407  | 555.0, 555.1, 555.2, 555.9, 556.0, 556.1, 556.2, 556.3, 556.4, 556.5, 556.6, 556.8, 556.9   |
| Sleep Apnea<br>18 years and<br>older                            | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350  | 327.23, 780.51, 780.53, 780.57  |
| Dementia<br>Any age   | 90791, 90792, 90832, 90834, 90837, 96116, 96118, 96119, 96120, 96150, 96151, 96152, 96154, 97003, 97004, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350 | 094.1, 290.0, 290.10, 290.11, 290.12, 290.13, 290.20, 290.21, 290.3, 290.40, 290.41, 290.42, 290.43, 290.8, 290.9, 294.10, 294.11, 294.20, 294.21, 294.8, 331.0, 331.11, 331.19, 331.82 |
| Parkinson's<br>Disease<br>Any age                               | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350  | 332.0   |
| Cataracts 18 years and older                                    | 66840, 66850, 66852, 66920, 66930, 66940, 66983, 66984  WITHOUT  Modifier 55 (postoperative management only) & 56 (preoperative management only)  | N/A   |

| Patient Sample Criteria Table (ICD-9-CM) |   |  |
|--|---|--|
| Measures<br>Group                        | CPT Patient Encounter Codes                               | ICD-9-CM Diagnosis Codes<br>for use 1/1/2015 – 9/30/2015   |
| 18 Years and older  992 992  AN Pro 964  | 201, 99202, 99203, 99204, 99205, 99212, 99213, 214, 99215 | 140.0, 140.1, 140.3, 140.4, 140.5, 140.6, 140.8, 140.9, 141.0, 141.1, 141.2, 141.3, 141.4, 141.5, 141.6, 141.8, 141.9, 142.0, 142.1, 142.2, 142.8, 142.9, 143.0, 143.1, 143.8, 143.9, 144.0, 144.1, 144.8, 144.9, 145.0, 145.1, 145.2, 145.3, 145.4, 145.5, 145.6, 145.8, 145.9, 146.0, 146.1, 146.2, 146.3, 146.4, 146.5, 146.6, 146.7, 146.8, 146.9, 147.0, 147.1, 147.2, 147.3, 147.8, 147.9, 148.0, 148.1, 148.2, 148.3, 148.8, 148.9, 149.0, 149.1, 149.8, 149.9, 150.0, 150.1, 150.2, 150.3, 150.4, 150.5, 150.8, 150.9, 151.0, 151.1, 151.2, 151.3, 151.4, 151.5, 151.6, 151.8, 151.9, 152.0, 152.1, 152.2, 152.3, 152.8, 152.9, 153.0, 153.1, 153.2, 153.3, 153.4, 153.5, 153.6, 153.7, 153.8, 153.9, 154.0, 154.1, 154.2, 154.3, 154.8, 155.0, 155.1, 155.2, 156.0, 156.1, 156.2, 156.8, 156.9, 157.0, 157.1, 157.2, 157.3, 157.4, 157.8, 157.9, 158.0, 160.1, 160.2, 160.3, 160.4, 160.5, 160.8, 160.9, 161.0, 161.1, 161.2, 161.3, 161.8, 161.9, 162.0, 162.2, 162.3, 162.4, 162.5, 162.8, 162.9, 163.0, 163.1, 163.8, 163.9, 164.0, 164.1, 164.2, 164.3, 164.8, 164.9, 165.0, 165.8, 165.9, 170.0, 170.1, 170.2, 170.3, 170.4, 170.5, 170.6, 170.7, 170.8, 170.9, 171.0, 171.2, 171.3, 171.4, 171.5, 171.6, 171.7, 171.8, 171.9, 172.0, 172.1, 172.2, 172.3, 173.30, 173.30, 173.31, 173.32, 173.30, 173.31, 173.32, 173.39, 173.40, 173.41, 173.42, 173.79, 173.80, 173.81, 173.82, 173.89, 173.90, 173.79, 173.80, 173.81, 173.82, 173.89, 173.90, 173.79, 173.80, 173.81, 173.82, 173.89, 173.90, 173.79, 173.80, 173.81, 173.82, 173.89, 173.90, 173.91, 173.92, 173.99, 174.0, 174.1, 174.2, 174.3, 174.4, 174.5, 174.6, 174.8, 184.9, 185.0, 180.9, 181, 182.0, 182.1, 182.8, 183.0, 183.2, 183.3, 183.4, 183.5, 183.8, 183.9, 184.0, 184.1, 184.2, 184.3, 184.4, 184.5, 186.0, 186.0, 186.0, 187.7, 187.9, 188.0, 188.1, 188.2, 188.3, 188.4, 188.5, 186.6, 186.7, 187.7, 187.8, 187.9, 188.0, 189.1, 189.2, 189.3, 189.4, 189.8, 189.9, 190.0, 190.1, 190.2, 190.3, 190.4, 190.5, 190.6, 190.7, 190.8, 190.9, 191.0, 191.1, 191.2, 191.3, 191.4, 191.5, 191.6, 191.7, 191.8, |

| Patient Sample Criteria Table (ICD-9-CM) |   |  |
|--|---|--|
| Measures<br>Group                        | CPT Patient Encounter Codes   | ICD-9-CM Diagnosis Codes<br>for use 1/1/2015 – 9/30/2015   |
| Oncology<br>18 Years and<br>older        | 77427, 77431, 77432, 77435, 77470  OR  99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215  AND  Procedure codes: 51720, 96401, 96402, 96405, 96406, 96409, 96413, 96416, 96420, 96422, 96425, 96440, 96446, 96450, 96521, 96522, 96523, 96542, 96549 | 191.9, 192.0, 192.1, 192.2, 192.3, 192.8, 192.9, 193, 194.0, 194.1, 194.3, 194.4, 194.5, 194.6, 194.8, 195.0, 195.1, 195.2, 196.3, 196.5, 196.6, 196.8, 196.0, 196.1, 196.2, 196.3, 196.5, 196.6, 196.8, 196.9, 197.0, 197.1, 197.2, 197.3, 197.4, 197.5, 197.6, 197.7, 197.8, 198.0, 198.1, 198.2, 198.3, 198.4, 198.5, 198.6, 198.7, 198.81, 198.82, 198.89, 199.0, 199.1, 199.2, 200.00, 200.01, 200.02, 200.03, 200.04, 200.05, 200.06, 200.07, 200.08, 200.10, 200.11, 200.12, 200.13, 200.14, 200.15, 200.16, 200.17, 200.18, 200.20, 200.27, 200.28, 200.33, 200.24, 200.25, 200.26, 200.27, 200.28, 200.30, 200.31, 200.38, 200.40, 200.41, 200.42, 200.43, 200.44, 200.45, 200.46, 200.47, 200.48, 200.50, 200.51, 200.52, 200.53, 200.54, 200.55, 200.56, 200.57, 200.58, 200.60, 200.61, 200.62, 200.63, 200.64, 200.65, 200.66, 200.67, 200.68, 200.70, 200.71, 200.72, 200.73, 200.74, 200.75, 200.76, 200.77, 200.78, 200.80, 200.81, 200.82, 200.83, 200.84, 200.85, 200.86, 200.87, 200.88, 201.00, 201.01, 201.02, 201.03, 201.04, 201.05, 201.03, 201.04, 201.05, 201.01, 201.01, 201.02, 201.03, 201.04, 201.05, 201.03, 201.04, 201.05, 201.03, 201.04, 201.05, 201.06, 201.07, 201.08, 201.10, 201.11, 201.12, 201.13, 201.14, 201.15, 201.16, 201.17, 201.18, 201.20, 201.21, 201.22, 201.23, 201.24, 201.25, 201.26, 201.27, 201.28, 201.40, 201.41, 201.42, 201.43, 201.44, 201.45, 201.46, 201.47, 201.48, 201.50, 201.51, 201.52, 201.53, 201.64, 201.62, 201.63, 201.64, 201.65, 201.66, 201.67, 201.68, 201.77, 201.78, 201.90, 201.91, 201.92, 201.93, 201.94, 201.95, 201.96, 201.97, 201.88, 201.00, 201.01, 20 |
|  |   | 202.80, 202.81, 202.82, 202.83, 202.84, 202.85,  |

| Patient Sample Criteria Table (ICD-9-CM)          |   |   |
|---|---|---|
| Measures<br>Group                                 | CPT Patient Encounter Codes   | ICD-9-CM Diagnosis Codes<br>for use 1/1/2015 – 9/30/2015  |
| Oncology  18 Years and older                      | 77427, 77431, 77432, 77435, 77470  OR  99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215  AND  Procedure codes: 51720, 96401, 96402, 96405, 96406, 96409, 96413, 96416, 96420, 96422, 96425, 96440, 96446, 96450, 96521, 96522, 96523, 96542, 96549 | 202.86, 202.87, 202.88, 202.90, 202.91, 202.92, 202.93, 202.94, 202.95, 202.96, 202.97, 202.98, 203.00, 203.01, 203.02, 203.10, 203.11, 203.12, 203.80, 203.81, 203.82, 204.00, 204.01, 204.02, 204.10, 204.11, 204.12, 204.20, 204.21, 204.22, 204.80, 204.81, 204.82, 204.90, 204.91, 204.92, 205.00, 205.01, 205.02, 205.10, 205.11, 205.12, 205.20, 205.21, 205.22, 205.30, 205.31, 205.32, 205.80, 205.81, 205.82, 205.90, 205.91, 205.92, 206.00, 206.01, 206.02, 206.10, 206.11, 206.12, 206.20, 206.21, 206.22, 206.80, 206.81, 206.82, 206.90, 206.91, 206.92, 207.00, 207.01, 207.02, 207.10, 207.11, 207.12, 207.20, 207.21, 207.22, 207.80, 207.81, 207.82, 208.00, 208.01, 208.02, 208.10, 208.11, 208.12, 208.20, 208.21, 208.22, 208.80, 208.81, 208.82, 208.90, 208.91, 208.92, 209.00, 209.01, 209.02, 209.03, 209.10, 209.11, 209.12, 209.13, 209.14, 209.15, 209.16, 209.17, 209.20, 209.21, 209.22, 209.23, 209.24, 209.25, 209.26, 209.27, 209.29, 209.30, 209.31, 209.32, 209.33, 209.34, 209.35, 209.36, 209.70, 209.71, 209.72, 209.73, 209.74, 209.75, 209.79, 235.0, 235.1, 235.2, 235.3, 235.4, 235.5, 235.6, 235.7, 235.8, 235.9, 236.0, 236.1, 236.2, 236.3, 236.4, 236.5, 236.6, 236.7, 236.90, 236.91, 236.99, 237.0, 237.11, 237.72, 237.73, 238.74, 237.5, 237.6, 237.70, 237.71, 237.72, 237.73, 238.79, 237.79, 237.9, 238.0, 238.1, 238.2, 238.3, 238.4, 238.5, 238.6, 238.71, 238.72, 237.33, 238.4, 238.5, 238.6, 238.71, 238.8, 238.9, 239.0, 239.1, 239.2, 239.3, 239.4, 239.5, 239.6, 239.7, 239.81, 239.89, 239.9, 239.9, 239.0, 239.1, 239.2, 239.3, 239.4, 239.5, 239.6, 239.7, 239.81, 239.89, 239.9 |
| Total Knee Replacement (TKR)  18 through 75 years | 27438, 27442, 27446, 27447  | N/A   |

|  | Patient Sample Criteria Table (ICD-9-CM)  |  |  |
|--|---|--|--|
| Measures<br>Group  | CPT Patient Encounter Codes   | ICD-9-CM Diagnosis Codes<br>for use 1/1/2015 – 9/30/2015 |  |
| General Surgery  18 years and older  | 19101, 19301, 19302, 19303, 19304, 19305, 19306, 19307, 36818, 36819, 36820, 36821, 36825, 36830, 43644, 43645, 43775, 43846, 43847, 44140, 44141, 44143, 44144, 44145, 44146, 44147, 44150, 44151, 44160, 44204, 44205, 44206, 44207, 44208, 44210, 44950, 44960, 44970, 47562, 47563, 47564, 47600, 47605, 47610, 49560, 49561, 49565, 49566, 49572, 49585, 49587, 49590, 49652, 49653, 49654, 49655, 49656, 49657, 60200, 60210, 60212, 60220, 60225, 60240, 60252, 60254, 60260, 60270, 60271 | N/A  |  |
| Optimizing Patient Exposure to Ionizing Radiation (OPEIR)  18 through 75 years | 70450, 70460, 70470, 70480, 70481, 70482, 70486, 70487, 70488, 70490, 70491, 70492, 70496, 70498, 71250, 71260, 71270, 71275, 72125, 72126, 72127, 72128, 72129, 72130, 72131, 72132, 72133, 72191, 72192, 72193, 72194, 72292, 73200, 73201, 73202, 73206, 73700, 73701, 73702, 73706, 74150, 74160, 74170, 74174, 74175, 74176, 74177, 74178, 74261, 74262, 75571, 75572, 75573, 75574, 75635, 76380, 76497, 77011, 77013, 77078, 78072   | N/A  |  |
| Sinusitis  18 years and older  | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99281, 99282, 99283, 99284, 99285, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350   | 461.0, 461.1, 461.2, 461.3, 461.8, 461.9                 |  |
| Acute Otitis<br>Externa (AOE)<br>2 years and older                             | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99281, 99282, 99283, 99284, 99285, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, , 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350  | 380.10, 380.11, 380.12, 380.13, 380.22                   |  |

|  | Patient Sample Criteria Table (ICD-10-CM)   |  |  |
|--|---|--|--|
| Measures Group   | CPT Patient Encounter Codes   | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015  |  |
| Diabetes 18 through 75 years                             | 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99217, 99218, 99219, 99220, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99281, 99282, 99283, 99284, 99285, 99291, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316, 99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439 | E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, O24.011, O24.012, O24.013, O24.019, O24.02, O24.03, O24.111, O24.112, O24.113, O24.119, O24.12, O24.13 |  |
| Chronic Kidney<br>Disease (CKD)<br>18 years and<br>older | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350  | N18.3, N18.4, N18.5  |  |
| Preventive Care<br>50 years and<br>older                 | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215   | N/A  |  |
| Coronary Artery Bypass Graft (CABG) 18 years and older   | 33510, 33511, 33512, 33513, 33514, 33516, 33517, 33518, 33519, 33521, 33522, 33523, 33533, 33534, 33535, 33536  | N/A  |  |

| Patient Sample Criteria Table (ICD-10-CM)             |   |  |
|---|---|--|
| Measures Group  | CPT Patient Encounter Codes   | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015  |
| Rheumatoid<br>Arthritis (RA)<br>18 years and<br>older | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402 | M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159, M05.161, M05.162, M05.169, M05.271, M05.212, M05.219, M05.221, M05.222, M05.221, M05.222, M05.221, M05.221, M05.222, M05.221, M05.222, M05.231, M05.232, M05.239, M05.241, M05.242, M05.249, M05.251, M05.252, M05.259, M05.261, M05.262, M05.269, M05.271, M05.272, M05.379, M05.30, M05.311, M05.312, M05.319, M05.321, M05.322, M05.331, M05.331, M05.332, M05.331, M05.331, M05.332, M05.331, M05.332, M05.331, M05.341, M05.342, M05.349, M05.351, M05.352, M05.359, M05.361, M05.362, M05.364, M05.364, M05.364, M05.364, M05.364, M05.364, M05.364, M05.364, M05.371, M05.372, M05.379, M05.39, M05.40, M05.411, M05.412, M05.419, M05.421, M05.422, M05.429, M05.431, M05.432, M05.439, M05.441, M05.442, M05.449, M05.451, M05.452, M05.459, M05.461, M05.462, M05.469, M05.511, M05.512, M05.529, M05.521, M05.522, M05.529, M05.531, M05.532, M05.539, M05.541, M05.542, M05.549, M05.511, M05.522, M05.551, M05.552, M05.551, M05.552, M05.561, M05.562, M05.569, M05.571, M05.572, M05.579, M05.59, M05.60, M05.611, M05.612, M05.614, M05.622, M05.669, M05.671, M05.672, M05.679, M05.671, M05.672, M05.671, M05.672, M05.679, M05.771, M05.772, M05.771, M05.772, M05.772, M05.771, M05.772, M05.771, M05.772, M05.771, M05.772, M05.771, M05.772, M05.771, M05.772, M05.811, M05.812, M05.821, M05.821, M05.821, M05.821, M05.821, M05.821, M05.821, M05.821, M05.822, M05.831, M05.831, M05.821, M05.822, M05.869, M05.811, M05.812, M05.869, M05.871, M05.822, M05.899, M05.811, M05.822, M05.869, M05.871, M05.822, M05.899, M05.891, M05.871, M05.822, M05.899, M05.891, M |

|   | Patient Sample Criteria Table (ICD-10-CM)  |  |  |
|---|--|--|--|
| Measures Group  | CPT Patient Encounter Codes  | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015  |  |
| Rheumatoid<br>Arthritis (RA)<br>18 years and<br>older     | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402  | M06.051, M06.052, M06.059, M06.061, M06.062, M06.069, M06.071, M06.072, M06.079, M06.08, M06.09, M06.1, M06.30, M06.311, M06.312, M06.319, M06.321, M06.322, M06.329, M06.331, M06.332, M06.339, M06.341, M06.342, M06.349, M06.351, M06.352, M06.359, M06.361, M06.362, M06.369, M06.371, M06.372, M06.379, M06.38, M06.39, M06.80, M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841, M06.842, M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879, M06.88, M06.89, M06.9                          |  |
| Hepatitis C<br>18 years and<br>older                      | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99406, 99407   | B18.2  |  |
| Heart Failure (HF) 18 years and older                     | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350 | I11.0, I13.0, I13.2, I50.1, I50.20, I50.21, I50.22, I50.23, I50.30, I50.31, I50.32, I50.33, I50.40, I50.41, I50.42, I50.43, I50.9  |  |
| Coronary Artery<br>Disease (CAD)<br>18 years and<br>older | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350 | 120.0,  20.1,  20.8,  20.9,  21.01,  21.02,  21.09,  21.11,  21.19,  21.21,  21.29,  21.3,  21.4,  22.0,  22.1,  22.2,  22.8,  22.9,  24.0,  24.1,  24.8,  24.9,  25.10,  25.110,  25.111,  125.118,  25.119,  25.2,  25.5,  25.6,  25.700,  25.701,  25.708,  25.709,  25.710,  25.711,  25.718,  25.719,  25.720,  25.721,  25.728,  25.729,  25.730,  25.731,  25.738,  25.739,  25.750,  25.751,  25.758,  25.759,  25.760,  25.761,  25.768,  25.769,  25.790,  25.791,  25.798,  25.799,  25.810,  25.811,  25.812,  25.82,  25.83,  25.89,  25.9,  295.1,  295.5,  298.61 |  |
| HIV/AIDS<br>13 years and<br>older                         | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, G0402   | B20, Z21   |  |
| Asthma 5 years and older                                  | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341   | J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, J45.998   |  |

|   | Patient Sample Criteria Table (ICD-10-CM)   |   |  |
|---|---|---|--|
| Measures Group  | CPT Patient Encounter Codes   | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015   |  |
| Chronic<br>Obstructive<br>Pulmonary<br>Disease (COPD) | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215   | J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9  |  |
| 18 years and older                                    |   |   |  |
| Inflammatory Bowel Disease (IBD)  18 years and older  | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350,99406, 99407   | K50.00, K50.011, K50.012, K50.013, K50.014, K50.018, K50.019, K50.10, K50.111, K50.112, K50.113, K50.114, K50.118, K50.119, K50.80, K50.811, K50.812, K50.813, K50.814, K50.818, K50.819, K50.90, K50.911, K50.912, K50.913, K50.914, K50.918, K50.919, K51.00, K51.011, K51.012, K51.013, K51.014, K51.018, K51.019, K51.20, K51.211, K51.212, K51.213, K51.214, K51.218, K51.219, K51.30, K51.311, K51.312, K51.313, K51.314, K51.318, K51.319, K51.41, K51.412, K51.413, K51.414, K51.418, K51.419, K51.50, K51.511, K51.512, K51.513, K51.514, K51.518, K51.519, K51.80, K51.811, K51.812, K51.813, K51.814, K51.818, K51.819, K51.90, K51.911, K51.912, K51.913, K51.914, K51.918, K51.919 |  |
| Sleep Apnea<br>18 years and<br>older                  | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350  | G47.30, G47.33  |  |
| Dementia<br>Any age                                   | 90791, 90792, 90832, 90834, 90837, 96116, 96118, 96119, 96120, 96150, 96151, 96152, 96154, 97003, 97004, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350 | A52.17, F01.50, F01.51, F02.80, F02.81, F03.90, F03.91, F05, F06.8, G30.0, G30.1, G30.8, G30.9, G31.01, G31.09, G31.83  |  |
| Parkinson's<br>Disease<br>Any age                     | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350  | G20   |  |

| Patient Sample Criteria Table (ICD-10-CM) |   |  |
|---|---|--|
| Measures Group                            | CPT Patient Encounter Codes   | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015  |
| Cataracts<br>18 years and<br>older        | 66840, 66850, 66852, 66920, 66930, 66940, 66983, 66984<br>WITHOUT   | N/A  |
|   | Modifier 55 (postoperative management only) & 56 (preoperative management only)   |  |
| Oncology<br>18 Years and<br>older         | 77427, 77431, 77432, 77435, 77470  OR  99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215  AND  Procedure codes: 51720, 96401, 96402, 96405, 96406, 96409, 96413, 96416, 96420, 96422, 96425, 96440, 96446, 96450, 96521, 96522, 96523, 96542, 96549 | C00.0, C00.1, C00.2, C00.3, C00.4, C00.5, C00.6, C00.8, C00.9, C01, C02.0, C02.1, C02.2, C02.3, C02.4, C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0, C05.1, C05.2, C05.8, C05.9, C06.0, C06.1, C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0, C10.1, C10.2, C10.3, C10.4, C10.8, C10.9, C11.0, C11.1, C11.2, C11.3, C11.8, C11.9, C12, C13.0, C13.1, C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C15.3, C15.4, C15.5, C15.8, C15.9, C16.0, C16.1, C16.2, C16.3, C16.4, C16.5, C16.6, C16.8, C16.9, C17.0, C17.1, C17.2, C17.3, C17.8, C17.9, C18.0, C18.1, C18.2, C18.3, C18.4, C18.5, C18.6, C18.7, C18.8, C18.9, C19, C20, C21.0, C21.1, C21.2, C21.8, C22.0, C22.1, C22.2, C22.3, C22.4, C22.7, C22.8, C22.9, C23., C24.0, C24.1, C24.8, C24.9, C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9,C26.0, C26.1, C26.9, C30.0, C30.1, C31.0, C31.1, C31.2, C31.3, C31.8, C31.9, C32.0, C32.1, C32.2, C32.3, C32.8, C32.9, C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.22, C34.30, C34.31, C34.22, C32.3, C32.8, C32.9, C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92, C37, C38.0, C38.1, C38.2, C38.3, C38.4, C38.8, C39.0, C39.9, C40.00, C40.01, C40.02, C40.10, C40.11, C40.12, C40.20, C40.21, C40.22, C40.30, C40.31, C40.32, C40.80, C40.81, C40.82, C40.90, C40.91, C40.92, C41.0, C41.1, C41.2, C41.3, C41.4, C41.9, C43.0, C43.10, C43.11, C43.12, C43.20, C43.21, C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59, C43.60, C43.61, C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C44.00, C44.01, C44.112, C44.119, C44.112, C44.119, C44.111, C44.112, C44.119, C44.114, C44.112, C44.119, C44.114, C44.122, C44.29, C44.290, C44.211, C44.291, C44.291, C44.291, C44.291, C44.292, C44.299, C44.201, C44.292, C44.299, C44.291, C |

| Patient Sample Criteria Table (ICD-10-CM) |   |  |
|---|---|--|
| Measures Group                            | CPT Patient Encounter Codes   | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015  |
| Oncology<br>18 Years and<br>older         | 77427, 77431, 77432, 77435, 77470  OR  99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215  AND  Procedure codes: 51720, 96401, 96402, 96405, 96406, 96409, 96413, 96416, 96420, 96422, 96425, 96440, 96446, 96450, 96521, 96522, 96523, 96542, 96549 | C44.309, C44.310, C44.311, C44.319, C44.320, C44.321, C44.329, C44.390, C44.391, C44.399, C44.40, C44.41, C44.42, C44.49, C44.500, C44.501, C44.509, C44.510, C44.590, C44.591, C44.520, C44.521, C44.529, C44.609, C44.611, C44.612, C44.619, C44.621, C44.602, C44.609, C44.611, C44.612, C44.692, C44.609, C44.709, C44.711, C44.712, C44.719, C44.721, C44.722, C44.711, C44.712, C44.719, C44.721, C44.722, C44.729, C44.89, C44.89, C44.81, C44.82, C44.89, C44.81, C44.82, C44.89, C44.91, C44.92, C44.99, C45.0, C45.1, C45.2, C45.7, C45.9, C46.0, C46.1, C46.2, C46.3, C46.4, C46.50, C46.51, C46.52, C46.7, C46.9, C47.0, C47.10, C47.11, C47.12, C47.20, C47.21, C47.22, C47.3, C47.4, C47.5, C47.6, C47.8, C47.9, C48.0, C48.1, C48.2, C48.8, C49.0, C49.10, C49.11, C49.12, C49.20, C49.21, C49.22, C49.3, C49.4, C49.5, C49.6, C49.8, C49.9, C4A.0, C4A.11, C4A.12, C4A.20, C4A.21, C4A.22, C4A.30, C4A.31, C4A.39, C4A.4, C4A.51, C4A.52, C4A.59, C4A.59, C45.50, C45.51, C45.52, C45.7, C45.59, C45.50, C45.51, C45.52, C45.7, C45.59, C45.51, C45.52, C45.7, C45.59, C45.51, C45.52, C45.7, C45.59, C45.51, C45.52, C45.7, C45.59, C45.51, C47.52, C47.52, C47.53, C47.4, C47.55, C47.6, C47.8, C47.9, C48.0, C48.1, C48.2, C48.8, C49.0, C49.10, C49.11, C49.12, C49.20, C49.21, C49.22, C49.30, C49.41, C49.12, C49.20, C49.21, C49.22, C49.30, C49.41, C49.12, C49.20, C49.21, C49.22, C49.30, C49.41, C40.12, C40.20, C40.21, C40.20, C40.21, C40.20, C40.21, C50.019, C50.011, C50.012, C50.019, C50.011, C50.012, C50.029, C50.111, C50.112, C50.119, C50.219, C50.221, C50.229, C50.311, C50.312, C50.329, C50.311, C50.312, C50.329, C50.311, C50.312, C50.329, C50.311, C50.312, C50.329, C50.311, C50.312, C50.529, C50.611, C50.612, C50.619, C50.521, C50.529, C50.611, C50.612, C50.619, C50.521, C50.529, C50.611, C50.612, C50.619, C50.919, C50.919, C50.919, C50.911, C50.912, C50.919, C50.919, C50.911, C50.912, C50.922, C50.629, C50.811, C50.812, C50.819, C50.911, C50.912, C50.922, C50.829, C50.911, C50.912, C50.929, C51.0, C61.1, C62.2, C66.9, C67.0, C67.1, C67.2, C67.3, C67. |

| Patient Sample Criteria Table (ICD-10-CM) |   |   |
|---|---|---|
| Measures Group                            | CPT Patient Encounter Codes   | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015   |
| Oncology<br>18 Years and<br>older         | 77427, 77431, 77432, 77435, 77470  OR  99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215  AND  Procedure codes: 51720, 96401, 96402, 96405, 96406, 96409, 96413, 96416, 96420, 96422, 96425, 96440, 96446, 96450, 96521, 96522, 96523, 96542, 96549 | C69.20, C69.21, C69.22, C69.30, C69.31, C69.32, C69.40, C69.41, C69.42, C69.50, C69.51, C69.52, C69.60, C69.61, C69.62, C69.80, C69.81, C69.82, C69.90, C69.91, C69.92, C70.0, C70.1, C70.9, C71.0, C71.1, C71.2, C71.3, C71.4, C71.5, C71.6, C71.7, C71.8, C71.9, C72.20, C72.1, C72.20, C72.21, C72.22, C72.30, C72.31, C72.32, C72.40, C72.41, C72.42, C72.50, C72.59, C72.9, C73., C74.00, C74.01, C74.02, C74.10, C74.11, C74.12, C74.90, C74.91, C74.92, C75.0, C75.1, C75.2, C75.3, C75.4, C75.5, C75.8, C75.9, C76.0, C76.1, C76.2, C76.3, C76.40, C76.41, C76.42, C76.50, C76.51, C76.52, C76.8, C77.0, C77.1, C77.2, C77.3, C77.4, C77.5, C77.8, C77.9, C78.00, C78.01, C78.02, C78.1, C78.20, C78.30, C78.39, C78.4, C78.55, C76.6, C77.0, C77.1, C77.2, C77.3, C77.4, C77.5, C77.9, C77.9, C78.00, C78.01, C78.02, C78.1, C78.80, C78.89, C79.00, C79.01, C79.02, C79.10, C79.11, C79.19, C79.12, C79.31, C79.32, C79.40, C79.49, C79.51, C79.52, C79.60, C79.61, C79.62, C79.70, C79.71, C79.72, C79.81, C79.82, C79.89, C79.90, C78.01, C78.02, C78.00, C78.01, C78.02, C78.00, C78.01, C78.02, C78.00, C78.01, C79.02, C79.00, C79.01, C79.02, |

| Patient Sample Criteria Table (ICD-10-CM)   |                             |  |
|---|-----------------------------|--|
| Measures Group                              | CPT Patient Encounter Codes | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015  |
| Measures Group  Oncology 18 Years and older |                             | CD-10-CM Diagnosis Codes   |
|   |                             | C85.95, C85.96, C85.97, C85.98, C85.99, C86.0, C86.1, C86.2, C86.3, C86.4, C86.5, C86.6, C88.0, C88.2, C88.3, C88.4, C88.8, C88.9, C90.00, C90.01, C90.02, C90.10, C90.11, C90.12, C90.20, C90.21, C90.22, C90.30, C90.31, C90.32, C91.00, C91.01, C91.02, C91.10, C91.11, C91.12, C91.30, C91.31, C91.32, C91.40, C91.41, C91.42, C91.50, C91.51, C91.52, C91.60, C91.61, C91.62, C91.90, C91.91, C91.92, C91.A0, C91.A1, C91.A2, C91.Z0, C91.Z1, |

| Patient Sample Criteria Table (ICD-10-CM)                    |   |  |
|--|---|--|
| Measures Group   | CPT Patient Encounter Codes   | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015  |
| Oncology 18 Years and older                                  | 77427, 77431, 77432, 77435, 77470  OR  99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215  AND  Procedure codes: 51720, 96401, 96402, 96405, 96406, 96409, 96413, 96416, 96420, 96422, 96425, 96440, 96446, 96450, 96521, 96522, 96523, 96542, 96549 | C91.Z2, C92.00, C92.01, C92.02, C92.10, C92.11, C92.12, C92.20, C92.21, C92.22, C92.30, C92.31, C92.32, C92.40, C92.41, C92.42, C92.50, C92.51, C92.52, C92.60, C92.61, C92.62, C92.90, C92.91, C92.92, C92.20, C92.A1, C92.A2, C92.Z0, C92.Z1, C92.Z2, C93.00, C93.01, C93.02, C93.10, C93.11, C93.12, C93.30, C93.31, C93.32, C93.90, C93.91, C93.92, C93.Z0, C93.Z1, C93.Z2, C94.00, C94.01, C94.02, C94.20, C94.21, C94.22, C94.30, C94.31, C94.32, C94.40, C94.41, C94.42, C94.6, C94.80, C94.81, C94.82, C95.00, C95.01, C95.02, C95.10, C95.11, C95.12, C95.90, C95.91, C95.92, C96.0, C96.2, C96.4, C96.5, C96.6, C96.9, C96.A, C96.Z, D37.01, D37.02, D37.030, D37.031, D37.032, D37.039, D37.04, D37.05, D37.09, D37.1, D37.2, D37.3, D37.4, D37.5, D37.6, D37.8, D37.9, D38.0, D38.1, D38.2, D38.3, D38.4, D38.5, D38.6, D39.0, D39.10, D39.11, D39.12, D39.2, D39.8, D39.9, D40.0, D40.10, D40.11, D40.12, D40.8, D40.9, D41.00, D41.01, D41.02, D41.10, D41.11, D41.12, D41.20, D41.21, D41.22, D41.3, D41.4, D41.8, D41.9, D42.0, D42.1, D42.9, D43.0, D43.1, D43.2, D43.3, D43.4, D43.8, D43.9, D44.0, D44.10, D44.11, D44.12, D44.2, D44.3, D44.4, D44.5, D44.6, D44.7, D44.8, D44.9, D45, D46.0, D46.1, D46.20, D46.21, D46.22, D46.4, D46.9, D46.A, D46.B, D46.C, D46.Z, D47.0, D47.1, D47.2, D47.3, D47.4, D47.9, D47.Z1, D47.29, D48.0, D48.1, D48.2, D48.3, D48.4, D48.5, D48.60, D48.61, D48.62, D48.7, D49.8, D49.0, D49.1, D49.8, D49.9, Q85.00, Q85.01, Q85.02, |
| Total Knee<br>Replacement<br>(TKR)<br>18 through 75<br>years | 27438, 27442, 27446, 27447  | Q85.03, Q85.09<br>N/A  |

|  | Patient Sample Criteria Table (ICD-10-CM)   |   |  |
|--|---|---|--|
| Measures Group   | CPT Patient Encounter Codes   | ICD-10-CM Diagnosis Codes<br>for use 10/1/2015 - 12/31/2015   |  |
| General Surgery  18 years and older  | 19101, 19301, 19302, 19303, 19304, 19305, 19306, 19307, 36818, 36819, 36820, 36821, 36825, 36830, 43644, 43645, 43775, 43846, 43847, 44140, 44141, 44143, 44144, 44145, 44146, 44147, 44150, 44151, 44160, 44204, 44205, 44206, 44207, 44208, 44210, 44950, 44960, 44970, 47562, 47563, 47564, 47600, 47605, 47610, 49560, 49561, 49565, 49566, 49572, 49585, 49587, 49590, 49652, 49653, 49654, 49655, 49656, 49657, 60200, 60210, 60212, 60220, 60225, 60240, 60252, 60254, 60260, 60270, 60271 | N/A   |  |
| Optimizing Patient Exposure to Ionizing Radiation (OPEIR)  18 through 75 years | 70450, 70460, 70470, 70480, 70481, 70482, 70486, 70487, 70488, 70490, 70491, 70492, 70496, 70498, 71250, 71260, 71270, 71275, 72125, 72126, 72127, 72128, 72129, 72130, 72131, 72132, 72133, 72191, 72192, 72193, 72194, 72292, 73200, 73201, 73202, 73206, 73700, 73701, 73702, 73706, 74150, 74160, 74170, 74174, 74175, 74176, 74177, 74178, 74261, 74262, 75571, 75572, 75573, 75574, 75635, 76380, 76497, 77011, 77013, 77078, 78072   | N/A   |  |
| Sinusitis<br>18 years and<br>older   | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99281, 99282, 99283, 99284, 99285, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350   | J01.00, J01.10, J01.20, J01.30, J01.40, J01.80, J01.90  |  |
| Acute Otitis Externa (AOE) 2 years and older                                   | 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99281, 99282, 99283, 99284, 99285, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350  | H60.00, H60.01, H60.02, H60.03, H60.10, H60.11, H60.12, H60.13, H60.311, H60.312, H60.313, H60.319, H60.321, H60.322, H60.323, H60.329, H60.331, H60.393, H60.399, H60.501, H60.502, H60.503, H60.509, H60.511, H60.512, H60.513, H60.519, H60.521, H60.522, H60.523, H60.529, H60.531, H60.532, H60.533, H60.539, H60.541, H60.542, H60.543, H60.549, H60.551, H60.552, H60.553, H60.559, H60.591, H60.592, H60.593, H60.599, H61.90, H61.91, H61.92, H61.93, H62.40, H62.41, H62.42, H62.43, H62.8X1, H62.8X2, H62.8X3, H62.8X9 |  |

3. It is not necessary to submit the measures group-specific intent G-code for registry-based submissions. However, the measures group-specific intent G-codes have been included for use by registries that utilize claims data.

## **Registry G-codes**

**G8485:** I intend to report the Diabetes Measures Group

G8487: I intend to report the Chronic Kidney Disease (CKD) Measures Group

**G8486:** I intend to report the Preventive Care Measures Group

**G8490:** I intend to report the Rheumatoid Arthritis (RA) Measures Group

**G8545:** I intend to report the Hepatitis C Measures Group

G8645: I intend to report the Asthma Measures Group

G8898: I intend to report the Chronic Obstructive Pulmonary Disease (COPD) Measures Group

**G8902:** I intend to report the Dementia Measures Group

G8544: I intend to report the Coronary Artery Bypass Graft (CABG) Measures Group

G8548: I intend to report the Heart Failure (HF) Measures Group

G8489: I intend to report the Coronary Artery Disease (CAD) Measures Group

**G8491:** I intend to report the HIV/AIDS Measures Group

G8899: I intend to report the Inflammatory Bowel Disease (IBD) Measures Group

G8900: I intend to report the Sleep Apnea Measures Group

**G8903:** I intend to report the Parkinson's Disease Measures Group

**G8906:** I intend to report the Cataracts Measures Group

**G8977:** I intend to report the Oncology Measures Group

G9234: I intend to report the Total Knee Replacement (TKR) Measures Group

**G9237:** I intend to report the General Surgery Measures Group

G9238: I intend to report the Optimizing Patient Exposure to Ionizing Radiation (OPEIR) Measures Group

**G9463:** I intend to report the Sinusitis Measures Group

G9465: I intend to report the Acute Otitis Externa (AOE) Measures Group

4. Report all applicable measures for the measure group on each denominator-eligible patient included in the patient sample for each individual eligible professional. Report the appropriate numerator option as instructed in the 2015 Physician Quality Reporting System (PQRS) Measures Groups Specifications manual on all applicable measures within the measures group for each patient included in the sample population for each individual eligible professional. Only one instance of reporting for each patient (procedure) included in the sample population will be used in PQRS analysis to calculate reporting and performance rates for each measure within a group.

The composite Quality Data Code (QDC) has been maintained for use by registries that utilize claims data. However, it is not necessary to submit this composite QDC for registry-based submissions. Refer to the 2015 Physician Quality Reporting System (PQRS) Measures Groups Specifications manual for detailed instructions about how to report the numerator options for each of the measures groups at <a href="http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/PQRS/MeasuresCodes.html">http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/PQRS/MeasuresCodes.html</a>.

An eligible professional is only required to report numerator options on those individual measures in the measures group that meet the criteria (e.g., age, gender, etc.) according to the 2015 Physician Quality Reporting System (PQRS) Measures Groups Specifications manual. For example, if an eligible professional is reporting the Preventive Care Measures Group for a 52-year old female patient, only 7 measures out of 10 apply. See the Preventive Measures Group Demographic Criteria table below.

| Preventive Measures Group Demographic Criteria |  |  |
|--|--|--|
| Age  | Measures for Male Patients                           | Measures for Female Patients                         |
| <50 years                                      | Patient does not qualify for measures group analysis | Patient does not qualify for measures group analysis |
| 50-64 years                                    | 110, 113, 128, 134, 173, 226                         | 110, 112, 113, 128, 134, 173, 226                    |
| 65-69 years                                    | 110, 111, 113, 128, 134, 173, 226                    | 39, 48, 110, 111, 112, 113, 128, 134, 173, 226       |
| 70-75 years                                    | 110, 111, 113, 128, 134, 173, 226                    | 39, 48, 110, 111, 113, 128, 134, 173, 226            |
| ≥76 years                                      | 110, 111, 128, 134, 173, 226                         | 39, 48, 110, 111, 128, 134, 173, 226                 |